EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	162942	(light$3 adj emitt$3 adj diode) or (light$3-emitt$3 adj diode) same ((thermic or thermal or heat) with (distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:27
L2	21404	(resistor same diode) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:02
L3	108	(((distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3) same output$4) and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:07
L4	66	((distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3) same (energy or voltage or current) and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:37
L5	1098	(((distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3) same output$4) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:07
L6	320	((distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3) same (energy or voltage or current) and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:07
L7	0	(netlist or (net adj list) or net-list) and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:08
L8	0	(netlist or (net adj list) or net-list) and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:08
L9	42	(netlist or (net adj list) or net-list) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:08
L10	0	((distribut$3 or spread$3 or dispers$3 or scatter$3) with (energy or voltage or current)) and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:09
L11	1	((distribut$3 or spread$3 or dispers$3 or scatter$3) same (energy or voltage or current)) and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:10

L12	162942	(light$3 adj emitt$3 adj diode) or (light$3-emitt$3 adj diode) and "716"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:28
L13	51	((light$3 adj emitt$3 adj diode) or (light$3-emitt$3 adj diode)) and "716"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:28
L14	33	chip and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:29
L15	11	(netlist or (net adj list) or net-list) and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:44
L16	0	(((distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3) same (energy or voltage or current or thermal or thermistic or heat$3)) and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:39
L17	9	(energy or voltage or current or thermal or thermistic or heat$3) and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 11:22
L18	122	(energy or voltage or current or thermal or thermistic or heat$3) with isotherm$5 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:13
L19	122	((energy or voltage or current or thermal or thermistic or heat$3) with isotherm$5) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:44
L20	0	(netlist or (net adj list) or net-list) and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:59
L21	34	list and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:48
L22	0	"716"/$.ccls. and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:50
L23	0	"703"/$.ccls. and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:50

EAST Search History

L24	188	((energy or voltage or current or thermal or thermistic or heat$3) same isotherm$5) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:39
L25	0	"716"/$.ccls. and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:08
L26	0	"703"/$.ccls. and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:50
L27	0	(netlist or (net adj list) or net-list) and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:50
L28	85	((computer adj (aid$3 or assist$3) adj design$3) or (computer-(aid$3 or assist$3) adj design$3)or (computer-aid$3 adj design$3) or CAD) and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:52
L29	0	(netlist or (net adj list) or net-list) and ((energy or voltage or current or thermal or thermistic or heat$3) with isotherm$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:00
L30	0	(netlist or (net adj list) or net-list) and ((energy or voltage or current or thermal or thermistic or heat$3) same isotherm$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:00
L31	0	(netlist or (net adj list) or net-list) and ((energy or voltage or current or thermal or thermistic or heat$3) and isotherm$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:01
L32	0	(netlist or (net adj list) or net-list) and (energy or voltage or current or thermal or thermistic or heat$3) and isotherm$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:01
L33	3707	(netlist or (net adj list) or net-list or net) and (energy or voltage or current or thermal or thermistic or heat$3) and isotherm$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:39
L34	65	1 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:02
L35	0	"716"/$.ccls. and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:20

EAST Search History

L36	0	"703"/$.ccls. and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:21
L37	1893	(netlist or (net adj list) or net-list or net) and ((energy or voltage or current or thermal or thermistic or heat$3) same isotherm$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:24
L38	57	((contour or plot) same output$4) and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:34
L39	0	"716"/$.ccls. and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:20
L40	8	"703"/$.ccls. and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:21
L41	81	((netlist or (net adj list) or net-list or net) with (simulat$3 or execut$3)) and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:25
L42	0	(DXF or (drawing adj exchange adj format)) and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:43
L43	75	(layout or lay-out or (lay adj out)) and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:28
L44	75	layer and 43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:29
L45	71	(layer near6 (number or name or id or identifi$6)) and 44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:30
L46	0	(layer near6 (name or id or identifi$6)) and 44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:45
L47	21	((contour or plot) same output$4) and 45	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:34

EAST Search History

L48	0	(netlist or (net adj list) or net-list) and (energy or voltage or current or thermal or thermistic or heat$3) and isotherm$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:40
L49	0	(netlist or (net adj list) or net-list) and (energy or voltage or current or thermal or thermistic or heat$3 or optical) and isotherm$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:40
L50	0	(netlist or (net adj list) or net-list) and isotherm$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:40
L51	658	DXF or (drawing adj exchange adj format)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:44
L52	352	scal$3 and 51	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:07
L53	32	(layer near6 (name or id or identifi$6)) and 52	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:02
L54	0	(resistor and diode) and 53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:09
L55	1	(resistor or diode) and 53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:46
L56	130	((netlist or (net adj list) or net-list) with scal$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:10
L57	0	51 and 56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:08
L58	3	(resistor and diode) and 56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:12
L59	133	(netlist or (net adj list) or net-list) with (scal$4 or calibrat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:11

L60	204	(netlist or (net adj list) or net-list) with (scal$4 or compact$3 or calibrat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:12
L61	6	(resistor and diode) and 60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:12
L62	5	(energy or voltage or thermal or thermistic or heat$3) and 61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:14
L63	2	(2-dimension$2 or two-dimension$3 or $4dimension$2 or coordinate) and 62	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:31
L64	4	((energy or voltage or current or thermal or thermistic or heat$3) same uniform$3) and 60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:47
L65	19	((energy or voltage or current or thermal or thermistic or heat$3) and uniform$3) and 60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:47
L66	3	(output$3 with (plot or contour)) and 65	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:48
L67	2	("6370674").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/22 11:22
L69	2	("6834380").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/22 11:46
L70	1	(simulat$3 with netlist) and 69	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 11:48
L71	1	((simulat$3 or execut$3) same netlist) and 69	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 11:51
S1	149465	(light adj emitting adj diode) or (light-emitting adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 07:49

EAST Search History

S2	149487	(light$3 adj emitting adj diode) or (light$3-emitting adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:38
S3	503949	(light$3 adj emitting adj diode) or (light$3-emitting adj diode) or LED or VLED or VSLED	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 07:50

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S48	1294	downey.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:28
S49	10	ebong.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:35
S50	1304	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:35
S51	218	((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or $2LED) and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:40
S52	10	ebong.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:42
S53	10	ebong.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 08:42
S54	1294	downey.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 08:43
S55	10	ebong.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 08:43
S56	1304	S54 or S55	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 08:43
S57	218	((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or $2LED) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 14:25
S58	0	(netlist or (net adj list) or net-list) and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:08

EAST Search History

S59	5	((computer near2 aid$) or CAD or autocad or dw2000) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:17
S60	953	((computer near2 aid$3) or CAD or autocad or dw2000) and (current near6 (optimiz$5 or map$4 or crowd$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:12
S61	107	(netlist or (net adj list) or net-list) and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:19
S62	0	(light$3 near4 emitt$3) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:02
S63	0	(light$3 near4 diode) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:01
S64	0	(light$3-emitt$3) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:02
S65	0	(light-emitt$3) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:02
S66	13745	((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or $2LED) and (current near6 (optimiz$5 or map$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:13
S67	783	((simulat$3 or model$3) near4 current) and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:50
S68	52	(uniform$3 near4 current) and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:50
S69	7	((computer near2 aid$) or CAD or autocad or dw2000) and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:07
S70	34	(netlist or (net adj list) or net-list) and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:04

EAST Search History

S71	2	(netlist or (net adj list) or net-list) and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:53
S72	3002	contour with current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:49
S73	160	((simulat$3 or model$3) near4 current) and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:50
S74	20	(uniform$3 near4 current) and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 09:51
S75	1	(netlist or (net adj list) or net-list) and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:06
S76	2635	(netlist or (net adj list) or net-list) and ((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or $2LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:15
S77	528	uniform$3 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:07
S78	342	simulat$3 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:07
S79	71	(uniform$3 with (power or voltage or thermal or optical)) and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:32
S80	51	simulat$3 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:09
S81	0	contour$3 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:10
S82	43	layer and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:11

S83	0	((light$3 adj emitting adj diode) or (light$3-emitting adj diode)) and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:14
S84	535136	((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:40
S85	346	(netlist or (net adj list) or net-list) and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:15
S86	4	(uniform$3 with (power or voltage or thermal or optical)) and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:16
S87	17	(uniform$3 same (power or voltage or thermal or optical)) and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:39
S88	45	(distribut$3 with (power or voltage or thermal or optical)) and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:40
S89	5	((light$3 adj emitting adj diode) or (light$3-emitting adj diode)) and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:05
S90	0	((computer near2 aid$) or CAD or autocad or dw2000) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 15:41
S91	125	((computer near2 aid$) or CAD or autocad or dw2000) and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 10:48
S92	9	homogeneous$3 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:05
S93	1225	homogeneous$3 near4 current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:12
S94	29	((light$3 adj emitting adj diode) or (light$3-emitting adj diode)) and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:05

EAST Search History

S95	0	(netlist or (net adj list) or net-list) and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:14
S96	0	((computer near2 aid$) or CAD or autocad or dw2000) and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:07
S97	2	(netlist or (net adj list) or net-list) and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:19
S98	2	((computer near2 aid$) or CAD or autocad or dw2000) and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:26
S99	1160	(homogeneous$3 or uniform$3) with current with (spread$3 or extent$3 or expans$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:18
S100	2	(netlist or (net adj list) or net-list) and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:15
S101	585	(homogeneous$3 or uniform$3) with electric with (spread$3 or extent$3 or expans$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:19
S102	0	(netlist or (net adj list) or net-list) and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:19
S103	916	(homogeneous$3 or uniform$3) with power with (spread$3 or extent$3 or expans$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:23
S104	1	(netlist or (net adj list) or net-list) and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:24
S105	386	(homogeneous$3 or uniform$3) with voltage with (spread$3 or extent$3 or expans$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:24
S106	0	(netlist or (net adj list) or net-list) and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:08

S10 7	4479	(homogeneous$3 or uniform$3) with thermal with (spread$3 or extent$3 or expans$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:25
S10 8	0	(netlist or (net adj list) or net-list) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:24
S10 9	47822	(homogeneous$3 or uniform$3) with current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:14
S11 0	50	(netlist or (net adj list) or net-list) and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:25
S11 1	23	((computer near2 aid$) or CAD or autocad or dw2000) and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 11:26
S11 2	6	thermal and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 12:52
S11 3	656	DXF or (drawing adj exchange adj format)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:26
S11 4	15	(voltage near4 drop) and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:04
S11 5	398	(voltage or current) and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:05
S11 6	16	((contour or curve) with current) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:21
S11 7	5	(netlist or (net adj list) or net-list) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:21
S11 8	2	S109 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:13

EAST Search History

S11 9	188756	(homogeneous$3 or uniform$3) with (current or voltage or power or thermal or optical)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:20
S12 0	12	S113 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:15
S12 1	344139	(homogeneous$3 or uniform$3) same (current or voltage or power or thermal or optical)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 13:20
S12 2	305	(netlist or (net adj list) or net-list) and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:07
S12 3	27	((contour or curve or plot) with current) and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 14:21
S12 4	39	((contour or curve or plot) with (voltage or power or current)) and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 14:30
S12 6	0	((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or LED) and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:22
S12 7	13	((contour or plot) with (voltage or power or current)) and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:06
S12 8	6	"6834380"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:06
S12 9	0	((netlist or (net adj list) or net-list) with lines) and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:11
S13 0	1	((netlist or (net adj list) or net-list) same lines) and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:08
S13 1	0	(netlist or (net adj list) or net-list) with ("$0000" near3 lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:15

S13 2	0	(netlist or (net adj list) or net-list) with ("70000" near3 lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:16
S13 3	0	(netlist or (net adj list) or net-list) with ((("60000" or "70000" or "80000" or "90000" or "100000") near3 lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:32
S13 4	2	(netlist or (net adj list) or net-list) with ("60000" or "70000" or "80000" or "90000" or "100000")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:19
S13 5	8	(netlist or (net adj list) or net-list) same ("60000" or "70000" or "80000" or "90000" or "100000")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:41
S13 6	190	(netlist or (net adj list) or net-list) near4 lines	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:21
S13 7	5	((light$3 adj emitting adj diode) or (light$3-emitting adj diode) or LED) and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 15:42
S13 8	0	(DXF or (drawing adj exchange adj format)) and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:24
S13 9	0	(netlist or (net adj list) or net-list) with ((("60,000" or "70,000" or "80,000" or "90,000" or "100,000") near3 lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 15:32
S14 0	51	(netlist or (net adj list) or net-list) near6 records	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:15
S14 1	445	(netlist or (net adj list) or net-list) and (orthogonal or rectangular or right-angled) and map$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:31
S14 2	104	(layer same map$4) and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:21
S14 3	46	(node and resistor and diode) and S142	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:23

EAST Search History

S14 4	0	acal$3 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:23
S14 5	0	(DXF or (drawing adj exchange adj format)) and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:26
S14 6	42	format and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:27
S14 7	0	tabular and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:27
S14 8	0	csv and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:28
S14 9	42	technology and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:29
S15 0	42	physical and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:29
S15 1	36	(physical near2 design) and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/17 16:34
S15 2	1792	scal$3 near4 (layout or lay-out or (lay adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:13
S15 3	0	scal$3 near4 (layout or lay-out or (lay adj out)) same (node and resistor and diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 09:35
S15 4	50	scal$3 near4 (layout or lay-out or (lay adj out)) and node and resistor and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:15
S15 5	2	(layer near4 number) and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 11:59

EAST Search History

S15 6	4	(layer near6 (number or id or identifi$6)) and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 12:13
S15 7	98	scal$3 near4 (layout or lay-out or (lay adj out)) and resistor and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 12:13
S15 8	766	(layer near6 (number or id or identifi$6)) same coordinate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:07
S15 9	4400	(resistor or diode) same coordinate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 12:14
S16 0	1	S157 and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 12:17
S16 1	2	S152 and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 12:17
S16 2	2286	scal$3 near6 (layout or lay-out or (lay adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:11
S16 3	4430	(layout or lay-out or (lay adj out)) and node and resistor and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:10
S16 4	73	S162 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:15
S16 5	13	coordinate and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:21
S16 6	9	layer and S165	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:59
S16 7	0	forward adj slash adj resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:45

EAST Search History

S16 8	0	forward near2 slash near2 resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:58
S16 9	0	back near2 slash near2 resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:57
S17 0	4375	back near2 resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:57
S17 1	1571	forward near2 resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:58
S17 2	59	S170 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 13:58
S17 3	6	layer and S172	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:00
S17 4	2873	scal$3 near2 coordinate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:00
S17 5	48	resistor same diode and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:02
S17 6	3	node and S175	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:01
S17 7	2	(layer near6 (number or id or identifi$6)) and S175	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 09:29
S17 8	80	(layer near3 (number or id or identifi$6)) and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:16
S17 9	3	resistor and diode and S178	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:12

EAST Search History

S18 0	11636	(layout or lay-out or (lay adj out)) and resistor and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:10
S18 1	8650	(scal$3 or compact$3) with (layout or lay-out or (lay adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:06
S18 2	584	resistor and diode and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:13
S18 3	3	((resistor or diode) same (coordinate)) and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:24
S18 4	17	((resistor or diode) same (coordinate or ($4dimensional))) and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:16
S18 5	10	(layer with (number or id or identifi$6)) and S184	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:16
S18 6	4	(netlist or (net adj list) or net-list) and S185	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:28
S18 7	0	((resistor or diode) with (coordinate)) and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:24
S18 8	2	((resistor or diode) with (coordinate)) and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:26
S18 9	11	((resistor or diode) with (2-dimension$2 or two-dimension$3)) and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 14:28
S19 0	13	((resistor or diode) same (2-dimension$2 or two-dimension$3)) and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:09
S19 1	1	(netlist or (net adj list) or net-list) and S190	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 15:39

EAST Search History

S19 2	220	(netlist or (net adj list) or net-list) and (distribut$3 near4 uniform$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:03
S19 3	109	((computer near3 aid$3) or CAD or autocad or dw2000) and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 15:41
S19 4	0	((light$3 adj emitt$3 adj diode) or (light$3-emitt$3 adj diode)) and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 15:43
S19 5	27	S181 and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:04
S19 6	9110	(scal$3 or compact$3 or calibrat$3) with (layout or lay-out or (lay adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:07
S19 7	8966	(scal$3 or compact$3 or calibrat$3) with (layout or lay-out or (lay adj out) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:07
S19 8	28	S193 and S197	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:08
S19 9	0	((resistor or diode) same (2-dimension$2 or two-dimension$3 or coordinate)) and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 10:30
S20 0	24	((resistor or diode) and (2-dimension$2 or two-dimension$3 or coordinate)) and S198	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/21 16:10
S20 1	162942	(light$3 adj emitt$3 adj diode) or (light$3-emitt$3 adj diode) same ((thermic or thermal or heat) with (distribut$3 or spread$3 or dispers$3 or scatter$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 07:54
S20 2	162942	(light$3 adj emitt$3 adj diode) or (light$3-emitt$3 adj diode) same ((thermic or thermal or heat) with (distribut$3 or spread$3 or dispers$3 or scatter$3) with uniform$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/22 08:03